



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax


Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

Re: Invitation To Bid - Ambulances

To whom it may concern:

The Quapaw Nation Fire/EMS is now accepting sealed bids on three (3) new ambulances with Stryker power load system and cots. Specifications are attached. Sealed bids will be received at the Quapaw Nation Procurement Office, Attn: Ambulance Bid, 5681 South 630 Road, Quapaw, OK 74363, until 10 a.m. November 6, 2020, at which time they will be opened. Bids received after this deadline will not be accepted and will be returned unopened to the sender. The Quapaw Nation has the right to reject any and all bids at their sole discretion. For any questions concerning the bids please contact Leon Crow at lcrow@quapawnation.com or Zack Turley at zturley@quapawnation.com for clarification prior to November 6, 2020.



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

Specifications

By Category

KKK Change Notice

00-01-0001 GENERAL CONDITIONS

1.00

00-01-0019 BIDDER KKK-A-1822F CHANGE NOTICE 9 COMPLIANT

1.00

00-01-0020 BIDDER KKK-A-1822F CHANGE NOTICE 10 COMPLIANT

1.00

00-01-0022 BIDDER KKK-A-1822F CHANGE NOTICE 11 COMPLIANT

1.00

00-01-0023 BIDDER KKK-A-1822F CHANGE NOTICE 12 COMPLIANT

1.00

00-01-0029 NO STS, HGAC, FSA, SOURCEWELL OR GPO CONTRACT
REQUIRED

1.00

80-10-0000 KKK-A-1822F COMPLIANCE PACKAGE

1.00

00-01-0018 BIDDER KKK-A-1822F CHANGE NOTICE 8 COMPLIANT


1.00

Chassis

00-01-0006 DYNAMIC SIDE IMPACT & ROLLOVER TESTS

1.00

01-01-0111 TYPE I - AMBULANCE - EXPRESS + I - 72 INCH INTERIOR



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

HEADROOM

- 1.00
15-00-0010 FUEL TANK - FULL UPON FACTORY RELEASE

- 1.00
19F4450S CHASSIS FORD F450 169" WB 4X4 DRW (84 C.A.) DIESEL
ENGINE

- 1.00
20-01-0105 SUSPENSION - LIQUID SPRING TYPE I

- 1.00
20-10-0112 INBOARD ARM RESTS FOR ALUMINUM CONSOLE

- 1.00
20-10-0206 BATTERY - TWO SYSTEM - F SERIES CHASSIS

- 1.00
20-10-0221 ADDITIONAL BATTERY NOT REQUIRED


- 1.00
20-10-0603 ENGINE BLOCK HEATER - OEM PLUG

- 1.00
20-20-0252 HEAT SHIELDS, PROTECTIVE

- 1.00
20-20-0277 HIGH IDLE SYSTEM, AUTOMATIC

- 1.00
20-21-0101 FLOOR CONSOLE F450 STANDARD CONSOLE -
ALUMINUM

- 1.00
20-30-0202 MIRRORS, EXT OEM MANUAL TELESCOPNG WREMOTE
& HEAT



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00

20-30-0261 OEM AUTO-LOCK DISABLED (cab & module doors do not auto lock or unlock)

1.00

20-30-0806 RUNNING BOARDS - STAR PUNCHED DIAMOND PLATE

1.00

20-40-0206-40 WHEEL SIMS - STAINLESS WITH VALVE STEM EXTENSIONS - F-450 CHASSIS

1.00

30-10-0030 BACKUP ALARM

1.00

30-10-0753 SIREN, WHELEN 295-HFSA7-REMOTE WITH MICROPHONE (Meets CA Title 13)

1.00

30-10-0812 SIREN SPEAKERS, CAST PRODUCTS - IN FRONT BUMPER

1.00

30-10-0817 SIREN SPEAKERS, ADDITIONAL NOT REQUIRED

1.00

Electrical


125AA101 OUTLET, 125VAC - ONE (1) INTERIOR DUPLEX - LEFT WALL PRIMARY ACTION AREA

1.00

125AA201 OUTLET, 125VAC - ONE (1) INTERIOR DUPLEX - LEFT WALL SECONDARY ACTION AREA

1.00

125IF201 OUTLET, 125VAC - ONE (1) INTERIOR DUPLEX - FRONT WALL CABINET



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

- 1.00
12VAA101 OUTLET, 12VDC - ONE (1) - LEFT WALL PRIMARY ACTION AREA

- 1.00
12VIF201 OUTLET, 12VDC - ONE (1) FRONT WALL - CABINET

- 1.00
30-06-0004 ELECTRICAL SYSTEM - WELDON V-MUX, MICRO PROCESSOR BASED

- 1.00
30-06-0010 VISTA IV MCC - PUSH BUTTON

- 1.00
30-06-0015 VISTA IV ACP - PUSH BUTTON

- 1.00
30-06-0026 WARNING DISPLAY - MULTIPLEX ELECTRICAL SYSTEM


- 1.00
30-06-0050 DAYTIME RUNNING LAMPS - MULTIPLEX ELECTRICAL SYSTEM

- 1.00
30-06-0076 MASTER CONTROL CONSOLE (MCC) - MULTIPLEX ELECTRICAL SYSTEM

- 1.00
30-06-0101 ATTENDANT CONTROL PANEL (ACP) - MULTIPLEX ELECTRICAL SYSTEM

- 1.00
30-06-0126 ELECTRICAL COMPARTMENT (PDQ) - MULTIPLEX ELECTRICAL SYSTEM

- 1.00
30-06-0150 SPARE CIRCUIT - MULTIPLEX ELECTRICAL SYSTEM



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00

30-06-0175 WIRING HARNESS CONNECTORS - MULTIPLEX
ELECTRICAL SYSTEM

1.00

30-06-0201 RADIO TIE-IN POINT - (1) 12V/40 AMP - CAB CONSOLE
AREA

1.00

30-06-0202 RADIO TIE-IN POINT - (1) 12V/40 AMP - PATIENT
COMPARTMENT

1.00

30-06-0203 RADIO TIE-IN POINT - (1) 12V/40 AMP - PDQ

1.00

30-06-0225 EMERGENCY MASTER SWITCH - MULTIPLEX ELECTRICAL
SYSTEM

1.00

30-06-0250 CONTROL PANEL SWITCHES - MULTIPLEX ELECTRICAL
SYSTEM

1.00

30-06-0275 MODULE POWER SWITCH - MULTIPLEX ELECTRICAL
SYSTEM

1.00


30-06-0285 MODULE DISCONNECT - MULTIPLEX ELECTRICAL
SYSTEM

1.00

30-06-0300 VOLTMETER - MULTIPLEX ELECTRICAL SYSTEM

1.00

30-06-0325 FLASHER - MULTIPLEX ELECTRICAL SYSTEM



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00

30-06-0350 FLASHING HEADLIGHTS - MULTIPLEX ELECTRICAL SYSTEM

1.00

30-06-0375 PARK OVERRIDE - MULTIPLEX ELECTRICAL SYSTEM

1.00

30-06-0400 LOAD MANAGER-SEQUENTIAL SWITCHING SYSTEM - MULTIPLEX ELECTRIC SYSTEM

1.00

30-06-0450 FRONT CLEAR DISABLE SWITCH - MULTIPLEX ELECTRICAL SYSTEM

1.00

30-06-0475 CURBSIDE SCENE LIGHTS ON WITH CURBSIDE DOOR

1.00

30-06-0500 REAR SCENE LIGHTS ON WITH REAR DOORS OPEN

1.00

30-06-0525 DISABLE SWITCH FOR REAR SCENE LIGHTS - MULTIPLEX ELECTRICAL SYSTEM

1.00

30-06-0550 DISABLE SWITCH FOR SIDE SCENE LIGHTS - MULTIPLEX ELECTRICAL SYSTEM

1.00

30-06-0575 REVERSE -TRANSMISSION- FUNCTIONS - MULTIPLEX ELECTRICAL SYSTEM

1.00

30-10-0060 BATTERY CONVERTER - CHARGER NOT REQUIRED

1.00

30-10-0110 ELECTRICAL CIRCUITS



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00

30-10-0190 GROUND FAULT CIRCUIT INTERRUPTER-GFCI

1.00

30-10-0262 INVERTER, VANNER - 1050 WATT, 20-1050CUL-DC
CHARGER

1.00

30-10-0295 LIGHT, ATTENDANT CONTROL PANEL AREA - LED -
WARM WHITE/RED COMBO

1.00

30-10-0416 LIGHTS, OSS COMPARTMENTS - RIDGEBACK LED STRIP
LIGHTING

1.00

30-10-0585 USB - DUAL OUTLET, ONE (1) INTERIOR LOCATED ON
CONSOLE

1.00

30-10-0657 RADIO ANTENNA BASES - TWO (2)

1.00

30-10-0901 SYSTEM ACTIVE AND CHECK OUT LIGHTS - 15 MINUTES

1.00

30-10-1006 PROGRAMMING, V-MUX - REAR WINDOW LEVEL
LIGHTS - BRAKE OVER RIDE

1.00

30-11-0106 LIGHTS, DOME LED (8) WHELEN SUPER LED

1.00

30-11-0176 LIGHTS, RIDGEBACK LED PANEL (2) CURBSIDE - ANGLED

1.00

30-12-0031 RECEPTACLE SHORELINE INLET-20 AMP, NON-AUTO



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

EJECT

1.00
USBAA101 OUTLET, USB - ONE (1) DUAL - PRIMARY ACTION AREA

1.00
Exterior Lighting

30-06-0410 WARNING LIGHTS FLASH PATTERN SIGNAL ALERT 75 - MULTIPLEX ELECTRICAL SYSTEM

1.00
30-25-0122 LIGHTS, ICC / LED CLEARANCE - ON MODULE FRONT - TECNIQ

1.00
30-25-0123 LIGHTS, ICC / LED CLEARANCE - ON MODULE REAR - TECNIQ

1.00
30-26-2000 TRAFFIC ADVISOR NOT REQUIRED


1.00
30-26-3008 LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, & MINIMUM INTENSITY BACK-UP

1.00
30-26-7002 LIGHT, LICENSE PLATE LED - WHELEN OACOEDCR

1.00
30-27-1102 LIGHTS, ICC / LED CLEARANCE - ON MODULE SIDE - TECNIQ

1.00
ClearLENS CLEAR LENSES ON ALL WARNING LIGHTS

1.00
FIL07T0002 LIGHTS FRONT INTERSECTION - 2 WHELEN 700 LED



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

W/15 DEGREE TILT HOUSING

1.00
FILCLR1R FRONT INTERSECTION LIGHT LOCATION 1 - RED

1.00
FILCLR2R FRONT INTERSECTION LIGHT LOCATION 2 - RED

1.00
FWL090007 LIGHTS FRONT MODULE - 7 WHELEN 900 SUPER LED

1.00
FWLCLR1R FRONT WARNING LIGHT LOCATION 1 - RED

1.00
FWLCLR2B FRONT WARNING LIGHT LOCATION 2 - BLUE

1.00
FWLCLR3R FRONT WARNING LIGHT LOCATION 3 - RED

1.00
FWLCLR4W FRONT WARNING LIGHT LOCATION 4 - WHITE


1.00
FWLCLR5R FRONT WARNING LIGHT LOCATION 5 - RED

1.00
FWLCLR6B FRONT WARNING LIGHT LOCATION 6 - BLUE

1.00
FWLCLR7R FRONT WARNING LIGHT LOCATION 7 - RED

1.00
GWL050002 LIGHTS GRILLE - 2 WHELEN 500 SUPER LED

1.00
GWLCLR1R GRILL WARNING LIGHT LOCATION 1 - RED



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00

GWLCR2R GRILL WARNING LIGHT LOCATION 2 - RED

1.00

RCL090001 LIGHTS REAR MODULE, UPPER CENTER - 1 WHELEN 900 LED

1.00

RCLCLR1A REAR CENTER MODULE LIGHT LOCATION 1-AMBER

1.00

RIL070002 LIGHTS INTERSECTION REAR - 2 WHELEN 700 LED

1.00

RILCLR1R REAR INTERSECTION LIGHT LOCATION 1 - RED

1.00

RILCLR2R REAR INTERSECTION LIGHT LOCATION 2 - RED

1.00

ROL090002 LIGHTS REAR MODULE, UPPER OUTER - 2 WHELEN 900 LED

1.00

ROLCLR1B REAR OUTER MODULE LIGHT LOCATION 1 - BLUE

1.00

ROLCLR2B REAR OUTER MODULE LIGHT LOCATION 2 - BLUE

1.00


RS090002 LIGHTS REAR SCENE - 2 WHELEN 900 24 DIODE LED

1.00

SS090004 LIGHTS SIDE SCENE - 4 WHELEN 900 24 DIODE LED

1.00

STRPTRN STRAIGHT PATTERN WARNING LIGHTS



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00
SWL090004 LIGHTS SIDE WARNING - 4 WHELEN 900 SUPER LED

1.00
SWLCLR1R SIDE WARNING LIGHT LOCATION 1 - RED

1.00
SWLCLR2R SIDE WARNING LIGHT LOCATION 2 - RED

1.00
SWLCLR3R SIDE WARNING LIGHT LOCATION 3 - RED

1.00
SWLCLR4R SIDE WARNING LIGHT LOCATION 4 - RED

1.00
WL090002 LIGHTS REAR WINDOW - 2 WHELEN 900 SUPER LED

1.00
WLCLR1R WINDOW LEVEL LIGHT LOCATION 1 - RED

1.00
WLCLR2R WINDOW LEVEL LIGHT LOCATION 2 - RED


1.00
Module Features / Exterior

39-00-0001 MODULE BODY CONSTRUCTION - SEAMLESS

1.00
39-00-0002 SOLE SOURCE MODULE BODY CONSTRUCTION

1.00
39-00-0005 AWS ALUMINUM CERTIFIED WELDERS

1.00
39-10-0003 CONNECTIONS, MODULE



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

- 1.00
40-00-0009 ALUMINUM PARTS - MODULE EXTERIOR

- 1.00
40-00-0010 CORROSION MINIMIZATION - MODULE

- 1.00
40-00-0019 DOOR SKINS, OUTSIDE STORAGE COMPARTMENTS -
DIAMOND PLATE INTERIOR SKINS

- 1.00
40-00-0020 DOOR CONSTRUCTION - GASKET PLACEMENT

- 1.00
40-00-0030 EXTERIOR COMPARTMENTS DESIGN

- 1.00
40-00-0050 EXTERIOR COMPARTMENTS, VENTING

- 1.00
40-00-0055 EXTERIOR COMPARTMENTS, VENTING - OXYGEN
STORAGE


- 1.00
40-00-0060 EXTERIOR COMPARTMENTS - SWEEP-OUT

- 1.00
40-00-0070 HANDLES, EBERHARD - CHROME FREE FLOATING TYPE

- 1.00
40-00-0080 INSULATION - POLYURETHANE SPRAY FOAM

- 1.00
40-00-0091 THRESHOLD, STAINLESS STEEL - ALL OSS STORAGE
COMPARTMENTS

- 1.00
40-10-0066 DOOR SLIDING - MODULE CURBSIDE PASSAGE



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

- 1.00
40-10-0072 LOWERED MODULE SIDES

1.00
40-10-0088 DOORS - REAR PASSAGE

1.00
40-10-0103 FENDERETTES - POLISHED ALUMINUM

1.00
40-10-0119 HOLD-OPEN - REAR DOORS - GRABBERS

1.00
40-10-0130 EMERGENCY RELEASE LEVER, EXPOSED, REAR PATIENT
PASSAGE DOORS

1.00
40-10-0151 SWITCH DOOR UNLOCK, WATERPROOF - HIDDEN IN
FRONT GRILLE AREA


1.00
40-10-0188 LOCKS POWER - PASSAGE, COMPARTMENTS, KEY FOBS

1.00
40-10-0204 MUD FLAPS, REAR - BLACK RUBBER FIBERGLASS
REINFORCED - THREE COLOR

1.00
40-10-0266 REAR STEP/BUMPER -FLIP-UP CENTER SECTION - STAR
PUNCHED AND ANODIZED

1.00
40-10-0280 RUB RAILS, ANODIZED ALUMINUM

1.00
40-10-0322 STEPWELL, CURBSIDE DOORWAY



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

- 1.00
40-10-0340 STONE GUARDS, MOD FRNT -ANODIZED DIAMOND PLATE

- 1.00
40-10-0360 KICKPLATE/THRESHOLD, REAR DOORWAY - ANODIZED DIAMOND PLATE

- 1.00
40-10-0505 WINDOWS, PASSAGE DOOR - (CURB SLIDING, REAR FIXED)

- 1.00
OS10EZ OSS #1 - OXYGEN STORAGE EZ O2 LIFT

- 1.00
OS1EXPOP4 OSS #1 - EZ-O2 LIFT OXYGEN SYSTEM

- 1.00
OS1EXPSTD OSS #1 - STREETSIDE FORWARD

- 1.00
OS2EXPOP1 OSS #2 - (1) ADJUSTABLE SHELF

- 1.00
OS2EXPSTD OSS #2 - STREETSIDE CENTER

- 1.00
OS2SHELF1 OSS #2 - SHELF ONE (1) ADJUSTABLE WITH TRACK

- 1.00
OS3EXPSTD OSS #3 - STREETSIDE REAR - TALL DOOR

- 1.00
OS3SHELF2 OSS #3 - SHELVES TWO (2) ADJUSTABLE WITH TRACK

- 1.00
OS4BB OSS #4 - BACKBOARD - SCOOP STRETCHER STORAGE



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00

OS4EXPOP1 OSS #4 - BACKBOARD STORAGE

1.00

OS4EXPSTD OSS #4 - CURBSIDE REAR

1.00

OS5EXPOP1 OSS #5 - OPEN STORAGE

1.00

OS5EXPSTD OSS #5 - CURBSIDE LOWER - BETWEEN #4 AND WHEEL

1.00

OS6EXPOP5 OSS #6 - INSIDE/OUTSIDE ACCESS WITH (3) ADJUSTABLE
SHELVES - #6B (1) ADDITIONAL BATTERY STORAGE

1.00

OS6EXPSTD OSS #6 - CURBSIDE FORWARD

1.00

Module Interior / Patient Compartment

30-10-0744 OTE CLIMATE CONTROLLED CABINET- TEMPERATURE
CONTROL MODULE

1.00

50-00-0202 ROUNDED INTERIOR CORNERS

1.00

50-01-0408 LATCHES, CABINET, CN10 COMPLIANT AS APPLICABLE

1.00

50-10-0226 LEFT WALL - ATTENDANT CONTROL PANEL - HINGED
PANEL

1.00

50-20-0507 PASS THROUGH - CAB TO MODULE, WINDOW OPENING



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00
50-41-0203 HEAT/AIR CONDITIONING, PROAIR IW-3856 700 CFM
(56,000 BTU HEAT / 38,000 BTU COOL), BRUSHLESS
BLOWER MOTOR

1.00
50-50-0103 SEATING - ATTENDANT - EVS HiBAC, INTEGRAL CHILD,
SWIVEL BASE CN8 COMPLIANT

1.00
50-50-0122 SEATING - ATTENDANT - SIDE MOUNT POSITION

1.00
50-50-0541 HOLD OPENS - SQUAD BENCH LID - GAS CYLINDERS

1.00
50-50-0556 SQUAD BENCH LID, PADDED WITH SHARPS /TRASH
ACCESS

1.00
50-51-1001 CABINET CONSTRUCTION - INTERIOR - ALUMINUM


1.00
50-51-1011 RECESSED ADJUSTABLE SHELF TRACK - CABINETS

1.00
50-51-1013 HOLD OPENS FOR INTERIOR DOORS

1.00
50-51-1014 CATCH, MAGNETIC - ADHESIVE BACK FOR INTERIOR
DOOR(S) OVER 36 INCHES

1.00
50-51-2002 CABINET DOORS - CLEAR POLYCARBONATE

1.00
50-51-3001 CABINETS/ WALLS - POLYCHROMATIC COATING -



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

MARBLE STONE

1.00

50-51-4002 COUNTER TOP - RECESSED ALUMINUM -
POLYCHROMATIC SPRAY COATED

1.00

50-51-4050 COUNTER TOP ACCENT STRIPE NOT REQUIRED

1.00

50-51-5015 UPHOLSTERY - RENAISSANCE - STEEL BLUE #9214

1.00

50-51-6001 LONPLATE II, NON-SLIP EMBOSSED SM. GRID - MICA
(GRAY) #421

1.00

50-60-0018 ASPIRATOR / SUCTION - SSCOR - WITH ELECTRIC PUMP
- RECESSED

1.00

50-60-0220 EMBLEMS / SIGNS - REAR PATIENT COMPARTMENT

1.00

50-60-0257 EXHAUST VENTILATOR, 3-SPEED - MULTIPLEX ELECTRIC
SYSTEM

1.00

50-60-0300 FLOOR CONSTRUCTION- PATIENT COMPARTMENT,
NON-WOOD COMPOSITE


1.00

50-60-0301 FLOORING - COVE

1.00

50-60-0325 NO - GLOVE, DISPENSER - CURBSIDE ABOVE DOOR

1.00



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

50-60-0326 GLOVE DISPENSER-3 BOX-STREETSIDE (ALUMINUM)

1.00

50-60-0340 GRAB RAIL, 1-1/4" DIAMETER, (96") OVER COT AREA

1.00

50-60-0391 HEADLINER - REAR PATIENT COMPARTMENT

1.00

50-60-0431 IV HANGERS - CEILING RECESSED - CAST PRODUCTS
#IV2008-1 (2)

1.00

50-60-0591 NET, SQUAD BENCH - CURBSIDE INTERIOR (RED)

1.00

50-60-0629 FLOW METER, OXYGEN - THORPE STYLE

1.00

50-60-0652 OXYGEN SYSTEM, MANUAL SYSTEM

1.00

50-60-0660 PADDED EDGING PROTECTION

1.00

50-60-0661 INTERIOR MODULE PADS

1.00


50-60-0709 SHARPS AND TRASH CONTAINERS - ACCESS THRU
SQUAD BENCH LID

1.00

50-60-0718 SQUAD BENCH FACE - VINYL FLOORING MATERIAL

1.00

50-60-0730 DOOR PANELS - MODULE PASSAGE DOORS - FULL
LENGTH ALUMINUM - W/ACCESS PANELS



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

- 1.00
50-60-0761 STAINLESS STEEL WALL PROTECTION - INTERIOR
STREETSIDE

- 1.00
50-60-0820 TURTLE TILE - SKID-RESISTANT MAT, CURBSIDE
STEPWELL

- 1.00
50-60-1601 OXYGEN OUTLET (1) LEFT WALL - OHIO MED - ACTION
AREA

- 1.00
50-60-1640 OXYGEN OUTLET (1) RIGHT WALL - OHIO MED - HEAD
SQ BENCH

- 1.00
50-60-1680 OXYGEN OUTLET (1) CEILING - OHIO MED - ABOVE
HEAD OF COT


- 1.00
50-61-0001 ASSIST HANDLES, (6) BLACK RUBBER

- 1.00
50-62-0439 COT FASTENER - 12v PRE-WIRE FOR STRYKER POWER
LOAD SYSTEM

- 1.00
AA1EXPOP1 PRIMARY ACTION AREA WITH SUCTION CONTROL,
125VAC/12VDC/DUAL USB OUTLETS, OXYGEN OUTLET,
VISTA SCREEN ON AN ANGLED FLIP-DOWN PANEL

- 1.00
AA2EXPOP1 SECONDARY ACTION AREA WITH 125VAC OUTLET

- 1.00
CPROP3 SEATING - CPR - EVS WITH V4 HARNESS



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00

IC1EXPOP1 CABINET #1 OPTION REMOVED

1.00

IC2EXPOP1 SQUAD BENCH WITH RECESSED SHARPS/WASTE AND
(2) EVS V4 SEATS. SECOND PATIENT TRANSPORT ON
THE SQUAD BENCH.

1.00

IC3EXPOP1 (2) ANGLED LED LIGHTS OVERHEAD WITH OXYGEN
OUTLET MOUNTED TO THE WALL

1.00

IF1EXPC1 CABINET - FRONT WALL, UPPER #1 - HINGED
ALUMINUM DOOR W/INSERT

1.00

IF1EXPOP1 PROAIR 3856 HEAT/AC AND CABINET WITH HINGED
ALUMINUM DOOR WITH POLYCARBONATE INSERT AND
CENTER SQUEEZE LATCH WITH (1) ADJUSTABLE SHELF,
WITH EXHAUST VENT

1.00

IF2EXPOP1 CABINET - UPPER/LOWER WITH HINGED
POLYCARBONATE DOORS, CENTER SQUEEZE LATCHES,
(1) ADJ. SHELF PER CABINET

1.00

IF3EXPOP1 CABINET - VENTED RADIO CABINET WITH PDQ ABOVE


1.00

IF3EXPRAD CABINET - FRONT WALL, LOWER BELOW PDQ (SINGLE
VENTED DOOR)

1.00

IF3PDQ CABINET - PDQ

1.00



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

IF4EXPOP1 PASS-THROUGH WINDOW OPEN TO THE CAB

1.00

IF-CNT-NO COUNTER TOP NOT REQUIRED

1.00

IS1EXPOP1 CABINET - FIXED FRAME WITH SLIDING
POLYCARBONATE DOORS AND (1) ADJ. SHELF

1.00

IS2EXPOP1 CABINET - FIXED FRAME WITH SLIDING
POLYCARBONATE DOORS AND (1) ADJ. SHELF

1.00

IS3EXPOP1 CABINET - FIXED FRAME WITH SLIDING
POLYCARBONATE DOORS, INSIDE/OUTSIDE ACCESS TO
OSS #3

1.00

IS4EXPOP1 CABINET - (1) PULL-OUT DRAWER TOWARDS THE AISLE
WITH LOCKING STAINLESS STEEL FLUSH PULL LATCHES

1.00

IS5EXPOP1 RECESSED SUCTION CANISTER

1.00

IS-CNT2-AL COUNTER TOP, ALUMINUM - SECONDARY ACTION
AREA

1.00


IS-CNT-RAL COUNTER TOP, RECESSED ALUMINUM

1.00

SQ-BN-BASE SQUAD BENCH BASE W/STORAGE

1.00

SQSTOP3 SEATING - CN8 COMPLIANT TWO (2) EVS V4



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354

1.00

Optional Patient Compartment Items

30-10-0508 LIGHTS, INTERIOR CABINETS, RIDGEBACK 12V LED STRIP LIGHT, WHITE

1.00

Paint / Graphics

60-01-0001 PAINT PROCEDURE

1.00

60-01-0002 PAINT MODULE - OEM WHITE PLUS CLEAR COAT

1.00

60-01-0004 BUFFING, PAINT - MODULE

1.00

60-01-0005 STANDARDS AND SPECIFICATIONS FOR VEHICLE PAINT APPEARANCE

1.00

60-10-0108 CAB - OEM PAINT

1.00

60-25-0101 REFLECTIVE - BLACK MATERIAL IN RUB RAILS

1.00

60-30-0200 REFLECTIVE - DOOR REFLECTIVITY

1.00

Vehicle Manuals

80-20-0001 VEHICLE MANUALS (1) PACKAGE SET

1.00

90-10-0007 STATEMENT OF LIMITED WARRANTY NEW



Quapaw Nation Fire/EMS

P.O. Box 200
Quapaw, OK. 74363
918-675-4200
918-675-4029 Fax

AMBULANCES

1.00

Shipping Address

6300 S. Hwy 69A
Miami, OK. 74354